Table of Contents Corrosion, Vol. 31, 1975

January Editorial R. W. Stachle	Mutual Occurrence of Cathodic and Anodic Cracking in Iron I. M. Bernstein and H. W. Pickering I. M. Bernstein and I. W. Pickering I. M. Bernstein and I. W. Pickering I. M. Bernstein and I. Burse I. M. L. Mehta and J. Burse I. Burse I. M. L. Mehta and J.	Embrittlement by Internal and by External Hydrogen H. P. Van Leeuwen
Intergranular Corrosion and Embrittlement of Ferritic Stainless Steels J. J. Demo and A. P. Bond	April Editorial: Handbooks—Assessed, Focused, and Not by Volunteers R. W. Staehle	Sodium Analysis in a Stainless Steel System P. C. S. Wu
February Editorial R. W. Staehle	and Joseph H. Noggle	June Editorial: Apology and Progress R. W. Staehle
March Potential-pH Diagrams for 90-10 and 70-30 Cu-Ni in Sea Water K. D. Efird	num Content on the Boiling Water Corrosion Resistance of Superplastic Zn-Al Alloys K. N. Melton and J. W. Edington	Observations on the Stress Corrosion Cracking of an Al-5%Zn-2.5%Mg Ternary and Various Quaternary Alloys J. A. S. Green and W. G. Montague

Technical Note: Effect of Palladium Alloying Additions on the Environmental Cracking Resistance of Titanium-7Al-2Nb-1Ta Alloy G. J. Biefer and A. J. Williams	Anomalous Effects of Temperature on the Polarization Characteristics of Type 409 Stainless Steel R. L. Chance, T. P. Schreiber, and W. D. France, Jr 296 Laboratory Studies of Galvanic Corrosion I. Two-Metal Couples F. Mansfeld and J. V. Kenkel 298 Dezincification of Cartridge Brass R. Natarajan, P. C. Angelo, N. T. George, and R. V. Tamhankar 302	Stress Corrosion Cracking of Ti-8Al-1Mo-1V in Molten Salts William H. Smyrl and Martin J. Blackburn 370 Stress Corrosion Cracking Behavior of Duplex Stainless Steel Weldments in Boiling MgCl ₂ D. H. Sherman, D. J. Duquette, and W. F. Savage 376 November Editorial: The Classic Prediction
Susceptibility of Cr-Ni-Mn Stainless Steels to Pitting in Chloride Solutions E. Lunarska, Z. Szklarska-Smialowska, and M. Janik-Czachor	September Editor.al: COSMAT Study: Materials and Man's Needs R. W. Staehle	R. W. Stachle
August Editorial: Corrosion in the Limitations of the Near-Term Energy Program R. W. Staehle	to Intergranular Corrosion by a Reactivation Method Pavel Novak, Rudolf Stefec, and Ferdinand Franz	Susceptibility of Iron and Nickel-Base Alloys to SCC in pH 2.5 H ₂ SO ₄ at 289 C David A. Vermilyea

Alphabetical Subject Index Corrosion, Vol. 31, 1975

A

Abrasion, austenitic stainless steel failures in phosphoric acid industry from, 315

Abrasion, slurries in pipelines, infl on anodic reactions, 237

ACIDS

acetic vs Cu, benzo, naphtho and triazoles as inhibitors, 97

general, alkynols, binary mixtures, synergism vs, 130

general vs iron, activation energy, 148

hydrochloric vs 304, film rupture infl on SCC by, 352

vs Cu, benzo, naphtho and triazoles to protect, 97

homopiperazine inhibition mechanism on Fe, 240

+ methanol, vs Ti-8Al, cracking mechanism, 143

+ methyl alcohol vs Ti-6Al-4V, 4130 steel, surface properties under stress, 383, 391

TiRu alloys vs boiling, infl of Ru, 60 nitrie, 65% vs Alloy 600, 316 C, infl of C, S, and P on SCC, 441

vs Cu, benzo, naphtho and triazoles to

+ dichromate, boiling vs Ni-base alloy;
 infl P, Si, Cu vs stress corrosion cracking, 222

phosphoric vs austenitic stainless, infl halide ions, 20-120 C, 315

vs Cu, benzo, naphtho and triazoles to protect, 97

sulfuric, 2.5 pH. 289 C vs CrNiFe and Ni-base alloys, SCC susceptibility, 421 50%-ferric sulfate 50% vs Alloy 600, infl C, S and P on SCC, 441

vs 304, 321, sensitized in boiling, anodic polarization tests, 30

vs anodically polarized 430 steels, infl of ionization, 413

vs CrNi alloys, polarization tests of intergranular attack propensity, 344

vs Cu, benzo, naphtho and triazoles to protect, 97

+ NaCl vs 18Cr5Ni10Mn, N intl on pitting, 394

TiRu alloys vs boiling, infl of Ru, 60 TRIP steels vs 1N solutions, infl cold work, 182

Activation, CrNi steels to intergranular attack in acid sol, 344

Ageing infl on Zr-2.5W Nb, 15

Ageing, AlZnMg, PFZ vs SCC in NaCl, 347 Air, static 800-975 C vs Ni-1.6 w/o alumina electroplate, properties of oxide, 252

Alkalis, ammonium hydroxide vs Cu, benzo, naphtho and triazoles to protect, 97

Alkalis, sodium chloride vs Cu, benzo, naphtho and triazoles as inhibitors, 97 Alkali metals, molten LiCl-KCl vs Ti-8Al-1Mo-1V, SCC, 370

ALLOYING

As, Cd, Cu, Zr vs stress cracking of AlZnMg alloys in NaCl, 209

C, P, Si in Ni-base alloys vs boiling nitric acid/chromate sol, 222

C, S and P infl in Alloy 600 vs 316 C aerated, deaerated water, NaOH, nitric acid, sulfuric acid-ferric sulfate, 441

Cr in sensitized austenitic stainless, infl vs natural, electrochemical control, 51

Cr, Mo and W in Ni vs 500-900 C Na sulfate + oxygen, 159

Cu alloys vs SCC in industrial, marine atmos, 279

Mo, Cu, Ni infl in low alloy steels vs industrial atmos, 117

N in 302 vs pitting in sulfuric acid-NaCl sol, 394

Pd into Ti-7Al-2Nb-1Ta, infl vs SCC in acidified NaCl solutions, 223

P infl vs Hg embrittlement of CuNi alloys, 91

Ru in Ti vs boiling sol HCl, sulfuric acid, compared to Pd, 60

ALUMINUM

1100, 2024, 2219, 6061, 7075 coupled to 4130 steel in high purity, tap and salt waters, 298

1100, 7075 scrape potentials, polarization in Na and K salts solutions, 84

+ Cu, Ti, infl of inhomogenities on attack mode, 207

high strength, brittle fatigue striations in, 66 hydrogen cracking mechanism calculations, 154

vs steam-water, as alloy in ZnAl eutectics, 146

ZnMg alloys, heat treatments infl on SCC, 23

ZnMg alloys vs NaCl, As, Cd, Cr, Zr as alloys vs stress cracking, 209

ZnMg alloy, precipitate-free zones vs SCC, 347

Ammonia vs stressed 60/40 CuNi, attack mechanism, 197

Ammonia, anhydrous, + or - air, + or - 0.2 w/o water vs C steel normalized welds,

Anodic protection, annealed and sensitized austenitic stainless steel, 51

Antimony, potentiodynamic tests vs acids, alkalis; oxidation parameters, 364

Antimony + Sb single crystals vs NaOH, infl light and anodized films, 243

Atmospheres, industrial, vs low alloy steels, calculations of attack rate, 117

Atmospheres, industrial vs Cu, brass, bronze, Cu-Ni, stress cracking, 8 yr tests, 279 Atmospheres, marine vs Cu, brass, bronze, CuNi, Stress cracking, 8 yr tests, 279

ATOMIC EFFECTS

anion dependence of Fe corrosion activation energy, 148

dislocation layer formation, infl on SCC, 383, 391

ionic content, synthetic 2.5 pH mine waters, infl vs C steel, 202

lattice decohesion by hydrogen, mathematical analysis, 154

slip band attack in Ti-8Al vs methanol-HCl, infl on stress corrosion cracking, 143

slip planes in AlZnMg alloys, contributions to SCC, 23

solute and vacancy control in AlZnMg alloys, infl on PFZ vs SCC, 347

thioglycolic acid, 3-mercapto-propionic acid, ammonium sulfides as chelants, 123,128

vacancy phenoma during 816-1038 C treatment of 304, 140

B

Batteries, 900 C anhydrous Na metaphosphate vs Pt, Zr anodes, 358

Biographical data, Marcel Pourbaix, 307

Biological factors, sulfate reducing anaerobes in cooling water vs Cu alloys, 269

Bromine; bromide ions infl in phosphoric acid vs austenitic stainless steels, 20-120 C. 315

Butane, propane, propellants in water vs aerosal cans, anodic galvanostatic polarization measurements, 192

C

Cadmium plating properties infl on hydrogen embrit, high strength steel, 214

Cadmium + Ti electroplate, infl current density on properties, hydrogen charging of steel, 234

CALCULATIONS AND STATISTICS

accel. vs burner rig tests, 900 C Na sulfate vs Ni and Cu-base alloys, 434

internal and external hydrogen effects, 154 plateau velocity, SCC in high strength steel vs hydrogen, 42

predictive mathematics, industrial atm. attack on low alloy steels, 117

rate calculations from Tafel slope, 173

rate for steel in NaCl solutions + carbon dioxide, infl pH, partial pressure, temp., 177

surface stress factors infl on stress corrosion cracking, 391

Cans, aerosal, tin-plated steel, galvanostatic tests vs isobutane-propane-water, 192

Carbon dioxide vs Cu in water, benzo, naphtho and triazoles as inhibitors, 97 Carbon dioxide vs steel, infl. pH, partial pressure, temp., 177

Castings, AlCu, inhomogeneous distribution of Cu, Ti, 207

Castings, properties, CrMoNiCo alloys for prosthetics, isotactic pressing at 1230 C to improve, 111

Cathodic polarization, hydrogen cracking during, 105

Cathodic protection: galvanic couples of , 304L, Ni270, Cu, Ti-6Al-4V, Sn, 4130 steel, Cd, Zn and Al in high purity, tap or salt waters, 298

Cathodic protection, hydrogen cracking j during, 105

Cathodic protection vs stress cracking of Inconel in 289 C, pH 2.5 sulfuric acid, 421

Caustic attack on steam generator tubing, Inconel 600, 327

Chlorine: chloride ions infl phosphoric acid vs austenitic stainless, 20-120 C, 315

Coatings, anodized InSb single crystals, infl vs NaOH, 243

Coatings, general: aerosal cans, infl on attack by pressurized water, 192

Coatings, high temperature; Ni + alumina electroplate vs 800-975 C oxygen, 252 Cobalt base alloys vs 906 C Na sulfate, 434

COLD WORK

CrNiFe and Ni-base wires, infl vs 2.5 pH, 289 C sulfuric acid, dynamic tension, 421

machining fluids infl on hydrogen absorption 4340 steel, 72

phase effects in TRIP steels vs pitting, general attack, 182

welded C steel, and vs SCC in anhydrous ammonia, 255

Concentration cells' role in SCC of 304 steels in 290 C NaCl-water solutions, 424

Concentration effects: chloride, sulfates vs pitting CrNi steels in NaCl, 286

Concentration effects: sulfate $\leq 0.1 \mathrm{M}$ vs 409 steel, temperature anomaly at 82 C, 296

Condensers, polluted sea water vs Cu alloy, 269

Contamination, aerosol can contents by corrosion, 192

COPPER AND ALLOYS

70-30 and 90-10 vs aerated, natural sea water, 25 C, potential-pH diagrams, 77

70:30 and 90:10 CuNi; arsonical 71:28 CuZn vs 30-200 C aerated and deaerated sea water, 320

cupronickel 60/40 stress cracking mechanism in 260 C ammonia, 197

high purity vs aerated sea water, 25-60 C, 275

Ni alloys, embrittlement by Hg, infl of P,
 91

polluted sea water vs, infl of alloying elements in condenser tubing, 269

pure, brass, bronze, CuNi, 8 yr SCC tests in industrial and marine atmos., 279 tri, benzo and naphtho triazoles inhibitive

properties vs water, 97 Zn, 70:30, dealloying mechanism, 302 Cracking of iron, internal from hydrogen, during cathodic polarization, 105

Crevice attack in aerosal cans, pressurized, 192

Crevice attack in CrMoNiCu alloys, isotactic hos pressing to reduce prosthetics, 111

Crevices in austenitic stainless, natural and polarized control, infl Cr content, 51

Crystal susceptibility of InSb single vs NaOH, infl of anodizing, light on anodic dissolution, 243

Current density: Cd-Ti electroplate, infl on physical properties, hydrogen charging of steel, 234

D

Dealloying of brass, analysis of mechanism, 302

Dealloying of 70-30, 90-10 CuNi in aerated sea water, 25 C, 77

Diffusion of S in fused salt, reaction with base metal, 434

E

ELECTROCHEMICAL EFFECTS

activation energy, Fe in oxidized acid sol, anion dependence, 148

anodic dissol., hydrogen conc. near crack roots in Ti-8Al vs methanol-HCl, 143

galvanic in Inconel 600 vs stress, pH 3, 289 C water, 327

Pt deposition on Ti anodes, infl on test results, 149

Electrode phenomena: anodic polarization infl on crevice attack, sensitized austenitic stainless steels, 51

Electrode phenomena: cathodic cracking of 304 in > 200 C Mg chloride, infl of K nitrate, 431

Electrode phenomena: stress corrosion cracking potentials related to NaCl concentration vs 304 at 290 C, 424

Electrolyte concentration: scrape potentials Al 1100, 7075 infl of Na chlorides, chromates, nitrate, sulfate; K sulfate, 84

Embrittlement by mercury of CuNi alloys, infl of P vs, 91

Environmental effects: iron ions vs anodic polarization of 430 steel in sulfuric acid, 413

Erosion-corrosion of steel pipeline vs abrasive slurries, 237

F

Fatigue cracking, brittle striations in high strength Al, mild steel, Ti-2.5 Cu, 66

Fatigue life, cyclic stresses vs CrMoNiCu castings, improvement by isotactic hot pressing, 111

Fatigue, surface layer properties related to, 383, 391

Filiform attack, 304 vs 290 C NaCl solutions, role in SCC, 424

Flaws or inclusions: maxima for cracking of high strength steels vs 3000-14,000 psi hydrogen, 404

Flaws or inclusions: notched and smooth CrNiFe, Ni base wires vs 289 C sulfuric acid, dynamic tensile SCC tests, 421

Fluorine, fluoride ions infl phosphoric acid vs austenitic stainless steels, 20-120 C, 315 Foods and beverages: packaging materials' resistance to environmental disintegration, 343

G

GALVANIC CELLS

304L, Ni 270, Cu, Ti-6Al-4V, Sn, 4340 steel, Cd and Zn couples in salt water, 298

4130-Al 1100, 2024, 2219, 6061, 7075 in tap, distilled and salt water, 298

aerosal cans, galvano static polarization measurements in, 192

Cu-iron in acid mine waters, 202

Ni alloy steels, causes of weldment attack in, 101

Gas turbines, hot corrosion by Na sulfate + oxygen, infl Cr, Mo, and W, 159

GRAIN BOUNDARY EFFECTS

304, dissol. Cr carbide, infl, 30

321 dissol TiC infl. 30

30, 434, 446 ferritic, effects from sensitizing, 21

Al-5Zn-2.5Mg ternary, quaternary alloys, minor alloying elements effects, 209

attack boundary on Pt, Zr by 900 C anhydrous Na metaphosphate, 358

anhydrous Na metaphosphate, 358
Inconel 600, anomalies vs SCC in high

purity water and steam, 327 intergranular attack tests of continuous and local depletion zones, 344

pit initiation at, on electropolished CrNi, 286

precipitates in AlZnMg alloys, infl on SCC,

segregation in 304, annealing before cooling (816-1038 C), infl on carbides, 140

segregation of Nb in Zr-2.5 w/o Nb, 15

segregation from welding of Ni alloys, stainless steels, 101

solutes in AlZnMg PFZ zone, infl vs NaCl, 347

Grain effects, 304L size vs boiling 42% Mg chloride, 376

Grain effects, C, S and P in Ni-15Cr-7Fe Alloy 600 vs oxidizing acids, water, 316C, 441

Н

Hardening of 304L, 310 from hydrogen charging, 108

Haynes 21, fabrication mode for prosthetics, 111

HEAT TREATMENT

304, cooling from annealing temp. 677-1093 C, infl on carbide precip., 140 AlZnMg, infl on SCC, 23

CuNi alloys with P, vs Hg embrittlement, 91 Inconel 600 vs high purity water, 327

sensitized 304 and 321 vs boiling sulfuric

sensitized austenitic stainless vs < 3 pH sulfuric acid solutions, 51

sensitization of 430, 434, 446 steels, intergranular attack, 21

sensitization infl SCC of CrNiFe alloys, Ni-base alloys vs 2.5 pH sulfuric acid, 289 C, 421 Ti-8Al-1Mo-1V, infl vs SCC in molten LiCl-KCl, 370

U-7.5Nb-2.5Zr, infl on SCC, 5

Hot corrosion by 500-900 C Na sulfate + oxygen vs Ni, 159

Hot corrosion analog of molten LiCl-KCl attack, 370

Hot corrosion of Ni and Co-base alloys in 906 C Na sulfate, 434

HYDROGEN

3000-14,000 psi vs high strength steels, flaw size vs stress cracking, 404

4340 steel, absorption, infl of grinding fluids, 72

absorption in 304L during stress cracking, 108

adsorption/lattice decohesion mechanism vs planar pressure, calculations, 154

cadmium plating properties infl on steel embrittlement by, 214 chloride, CrNi pitting in, prediction using

current density contour maps, 286 cracking, internal in Fe, during cathodic

charging, 105 embrittlement, acetylenic alcohols vs Fe,

130 Cd-Ti electroplated high strength steel,

infl of current density, 234 of FeNiCr austenitic vs hydrogen, 108 of high strength steels vs 3000-14,000

psi, flaw size maxima, 404 mechanisms, mathematical analysis, 154 plateau velocity calculations for high strength steels, 42

flux in 304 vs 290 C NaCl solutions, infl of imposed potentials, 424

ion recombination, Cd, Cr, As, Zr in AlZnMg vs, 209

vs Ti-8Al-1Mo-1V stress cracking in molten LiCl-KCl, 370

TiRu absorbtion vs boiling hydrochloric or sulfuric acids, 60

vs U-0.75 w/o Ti, wedging effect of U hydrides on cracking, 337

1

Indium + Sb single crystals vs NaOH, infl light and anodized films, 243

INHIBITORS

acid mine waters, infl of Cu ions vs, 202

acetylenic + N compounds vs acid attack on Fe, 130

benzo, naphtho and triazoles for Cu in aqueous solutions, 97

Cr ion infl on passivation kinetics Al 1100, 7075 in Na and K salts sol., 84

disodium phosphate in aerosal cans, 192

iron chloride in aqueous solution HCl, sulfuric acid vs TiRu, 60

homopiperazine vs HCl, mechanism on Fe, 240

mechanism, acetylenic compounds, + N vs acid attack on Fe, 130

mechanisms of chelating compounds vs Fe in HCl, 123, 128

metal chelates, infl of structure on efficiency, NMR investigation, 123, 128 pi and hydrogen bonding, proton reactions of acetylenic inhibitors, 130 sodium chromite control of oxide attack on SS by 425 C Na, 168

water in anhydrous ammonia vs stressed welds in high strength steels, 255

Ion effects, anions infl in Al 1010, 7075 polarization kinetics in Na and K salts solutions, 84

INTERGRANULAR ATTACK

Alloy 600 vs 316 C aerated, deaerated water, NaOH, nitric acid, sulfuric acid-ferric sulfate, 441

CrNi alloys, polarization tests of propensity, 344

ferritic steels after sensitizing, 21

Inconel 600 in high purity water, cause of exchanger tube failures in nuclear plants, 327

nitric acid/dichromate solutions, boiling vs Ni-base alloys with P, Si, C, 222

IRON

acetylenic inhibitors vs acid attack on, 130 activation energy in acids, anion dependence, 148

attack rate vs oxygen-free Na salts, light spectra evaluation, 417

chloride vs Cu, benzo, naphtho and triazoles as inhibitors, 97

homopiperazine mechanism of protection vs HCl, 240

hydrogen internal cracking during cathodic polarization, 105

Isotactic pressing at 1230 C of investment cast CrNiMoCo alloys for prosthetics, 111

L

Light spectra evaluation of Fe attack in oxygen-free sodium salts solutions, 417 Light vs InSb single crystals in NaOH, infl on anodized and hot, 243

Liquid on molten materials, 900 C Na sulfate vs Ni and Co-base alloys, 434

Lubricants for grinding, infl on hydrogen absorption by <340 steel, 72

M

MAGNESIUM CHLORIDE

stainless steels, 101

42% boiling vs 304L, attack modes, SCC, 376

143 C vs 18-8 under dynamic tensile stress, crack phenomena, 398

> 200 C, cathodic cracking of 304, infl of K nitrate, 431

Manganese in CrNiMn, infl in chloride pitting, 231

Mass transfer of stainless steel in non-isothermal loop vs 425 C Na, 168 Metal structure effects, welding of Ni alloys,

Methanol + HCl vs Ti-8Al, SCC mechanism, function of slip bands, 143

Mercury vs CuNi alloys, infl of P vs embrittlement, 91

Mining, acid water vs C steel, control, 202 Mining, nonmetals, phosphate rock, abrasion vs austenitic stainless steels, 315 Molybdenum vs phosphoric acid attack on austenitic stainless, 315

N

NICKEL AND ALLOYS

Alloy 600 vs 316 C aerated and deaerated water, NaOH, nitric acid, sulfuric acid-ferric sulfate, 441

Inconel 600 vs high temp, high purity water, review, 327

Inconels 600, 690 vs 2.5 pH sulfuric acid, 289 C, 421

Ni-base vs 906 C Na sulfate, accelerated tests, 434

Ni-base vs boiling nitric acid/chromate sol., infl C, P, Si on stress cracking, 222

NiCr SCC compared to Type 304, 310; 339 sodium sulfate + oxygen vs Ni at 500-900 C, 159

welding effects on, 101

Nonuniform attack, AlCu, AlCuTi, infl of Cu and Ti in homogeneities, 207

0

ORGANIZED STUDIES

California State Polytechnic University, Pomona, 340

Corrosion and Electrometallurgy Section of Bhabha Atomic Research Center, Bombay, India, 226

Corrosion Engineering Research, U. of Saskatchewan, Canada, 265

corrosion journal, increase in number, scope of articles published, 191

corrosion journal, role in international control effort, 1

corrosion laboratory, National Research Council of Canata, Ottawa, Canada, 113 economic and technical necessity for handbooks, 115

funded debriefing of experienced persons; optimation of technical alternatives, 153

German Federal Republic, 1950-1973, 185 Homer Res. Lab., Bethlehem Steel Corp., Bethlehem, Pa., 37

Illinois Institute of Technology, Chicago, Ill., 304

Materials and Man's Needs, National Academy of Sciences report, 305

Materials Technology in the Near-Term Energy Program, 267

National Commission on Materials Policy; corrosion control recommendations, 39

National Science Foundation support, 229 Oak Ridge, Tenn. Y-12 plant, 75

persistence of packaging discards vs environmental effects, 343

Oxidation scale properties on Ni and Co-base alloys vs 906 C Na sulfate, 434

OXYGEN

vs antimony, potentiodynamic tests in acid, alkali. 364

double oxide (NaCrO₂) control of attack by 425 C Na on stainless steel, 168

vs Inconel 600 vs high temp, high purity water, 327

+ sulfides in cooling water vs Cu alloys, 269

P-R

- Passivation of 18Cr5Ni10Mo vs sulfuric acid + NaCl, infl of N on, 394
- Passivation of 409; interdependence of sulfate solution concentration and temperature; current density anomaly, 298
- Passivation of Al 1100, 7075 in Na chlorides, chromate, nitrate, sulfate; K sulfate. 84
- Passivation infl on SCC of 304 in > 200 C Mg chloride, 431

pH EFFECTS

- carbonic acid vs steel, infl temp., partial pressure, 177
- oxide scales on Ni and Co-base alloys vs 906 C Na sulfate, 434
- pits, solutions in, effect on attack rates, 286 polluted water, infl vs Cu alloy heat exchanger tubing, 269

PHASE PHENOMENA

- CrNiMn, infl on pitting by chlorides, 231
- ferrite-austenite infl in SCC of 304L weldments in 42% boiling Mg chloride, 376
- martensite formation during stress cracking + hydrogen in 304L, 310, 108
- pit initiation sites related to phase-matrix boundaries, 394

PITTING

- 18Cr5Ni10Mn, infl of N on, 394
- CrNi steels vs chlorides, sulfates, susceptibility predictions using current density contour maps, 286
- CrNiMn steels in sulfuric acid + NaCl, 231 initiation mode in 304 vs 290 C NaCl solutions, 424
- nitrate anions in Mg chloride, activity in 304, 431
- nucleation in 18Cr5Ni10Mo, infl of N on, 394
- potentials ferritic CrMo steels, comparison of three test methods, 219
- TRIP steels, infl cold work on, 182
- Platinum vs 900 C anhydrous metaphosphate, 358
- Porosity of cadmium plating, infl on hydrogen purging from steel, 214
- Porosity of CrMoNiCo castings, isotactic hot pressing to remove, 111
- Potassium sulfate vs Al 1100, 7075, polarization phenomena, 84
- Potentials during scrape measurements on Al 1100 and 7075 vs Na and K salts sol, 84
- Precipitation of Ni on CuNi in sea water, 77 Pressure, 3000-14,000 psi hydrogen vs high strength steels, 404
- Pressure in aerosal cans, isobutane-propane-water, galvanostatic tests, under, 192
- Pumps, CrNi steels, failures in phosphoric acid plants, 315
- Radiation vs Zr-2.5 w/o Nb in 280 C water,
- Reviews, Inconel 600 vs high temp, high purity water, 327

Reviews, Atlas of Electrochemical Equilibria in Aqueous Solutions, Marcel Pourbaix, Introduction, 307

SCALES OR FILMS

- 500-900 C Na sulfate + oxygen vs Ni, infl Cr, Mo and W, 159
- anodized on InSb single crystals vs NaOH, infl on photopotentials, capacitance, 243
- copper and zinc oxides and salts on 25-60 C surfaces in aerated sea water, 275
- copper oxides infl on SCC of Cu alloys in atmosphere, 279
- low alloy steels vs atmos., 117
- Ni-rich near SCC cracks in CuNi vs 260 C ammonia, 197
- oxides and sulfides on Cu alloy condensers, 269
- oxides on Ni-alumina electroplate vs 800-975 C air, 252
- properties favoring SCC, 383, 391
- Ru redeposition in TiRu vs boiling sulfuric acid sol, 60
- rupture mechanism infl on SCC of 304 in HCl sol., 352
- underfilm phenomena in SCC of 304 in 290 C NaCl solutions, 424
- Sensitization of Ni and stainless steels during welding, 101
- Sequestration of Fe and Cu ions in acid mine water, 202

SODIUM

- 425 C non-isothermal, flowing, mass transfer of stainless steel, 168
- 425 C vs stainless steel, oxygen control by stable double oxides, 168
- chloride vs 18Cr5Ni-0.03 to 15Mn vs sulfuric acid +, 231
 - acidified vs Ti-7 Al-2Nb-1Ta + Pd, infl of Pd vs SCC, 223
 - vs AlZnMg, infl minor alloying elements, 209
 - chromate, nitrate, sulfate vs Al 1100, 7075, polarization phenomena, 84 concentration, role in SCC of 304 at
 - 290 C, 424 potassium chromate sol vs Mg-7.5 Al, crack topography, 247
 - vs Ti, infl Pt counter-electrode dissolution on, 149
 - vs Ti-6Al-4V, 4130 steel, surface properties under stress, 383, 391
- hydroxide 50% vs Alloy 600, infl C, S and P on SCC, 441
 - vs Ni, CrNi alloys, 327
 - vs InSb single crystals, infl anodizing, light, 243
- metaphosphate, 650 C anhydrous vs Pt, Zr, 358
- perchlorate, bromide, sulfate and phosphate visible spectra in oxygen-free solutions,
- sulfate 900 C vs Ni and Co-base alloys, 434 sulfate + oxygen 500-900 C vs Ni, infl Cr, Mo, and W, 159

SPECIFICATIONS AND STANDARDS

ASTM anodic polarization standard application to 430 steel, 413

- Steam vs 50, 60, 78 w/o ZnAl eutectoid alloys, infl of Al, 146
- Steam vs Inconel 600, infl heat treatment, stress, 327

STEELS, CARBON

- vs 30-200 C aerated, deaerated sea water, 320
- abrasive slurries in water vs pipe, infl velocity, 237
- aerosal cans, attack by pressurized aqueous contents on tin plated, organic coated, 192
- brittle fatigue striations in, 66
- vs carbonic acid in NaCl solution, infl pH, partial pressure, temp, 177
- vs pH 2.5 synthetic mine waters, infl of metal, halide ions on attack, 203

STEELS, HIGH STRENGTH

- 42-126 ksi YS vs 3000-14,000 psi hydrogen, flaw size infl on cracking, 404
- 4340, infl grinding fluids on hydrogen absorption, 72
- 4130 galvanic couples with Al in distilled, tap and salt water, 298
- API, other vs anhydrous ammonia, SCC of welds, 255
- cadmium plating properties infl on hydrogen embrittlement, 214
- hydrogen embrittlement during Cd-Ti plating, infl current density, 234
- hydrogen embrittlement mechanisms, mathematical analysis, 154
- hydrogen SCC, plateau velocity calculations, 42
- surface layer stress infl on SCC, 383, 391
- Steels, low alloys, industrial atmos. attack, predicting via statistical analysis, 117

STEELS, STAINLESS

- vs 425 C Na, control of oxygen attack by sodium chromite in non-isothermal loop, 168
- 17Cr-11 to 20Ni vs sulfuric acid; polarization tests of tendency to intergranular attack, 344
- 18-8, anodic reactions in cracks vs 148 C Mg chloride, 398
- 302, 304, 10Ni-8 to 12.5Cr, sensitized, infl natural, electrochemical control on crevice attack, 51
- 302, 304, 347, Nitronic 40, 50; Uranus 50, Sandvik 3RE60, AL 326, E-brite 26Cr-1Mo, vs 2.5 pH sulfuric acid, 289 C. 421
- 302 vs sulfuric acid + NaCl, infl of N on passivation, pitting, 394
- 302, 316 vs aerated sulfide contaminated sea water, 269
- 304 vs > 200 C Mg chloride, infl K nitrate on SCC, 431
- 304 vs 3000-14,000 psi hydrogen, 404
- 304, annealing effects prior to furnace cooling on carbides, 140
- 304, dissol. Cr carbide, infl on intergranular attack, 30
- 304, dynamic stressing in HCl, infl film rupture on SCC, 352
- 304, SCC in 290 C NaCl solutions, 424
- 304, 310 SCC behavior compared to NiCr alloys, 339

- 304, 316, infl halide ions, temp. vs phosphoric acid, 315
- 317L, CrNiMo vs chlorides, sulfates current density contour maps to predict pitting, 286
- 316L prosthetics, infl of processing mode, 111
- 321, dissol. Ti carbide, infl on intergranular attack, 30
- 430, anodic polarization in sulfuric acid, ionization infl on second current maximum, 413
- austenitic CrNiFe, infl hydrogen on stress cracking, 108
- chromium nickel, CrFe, FeCrNi, welding effects on, 101
- CrNiMn, infl Mn vs pitting by NaCl, 231
- ferritic CrMo, comparison of pitting potentials test in 25-45 C NaCl, 219
- TRIP (13Cr-11Ni + Mo-0.23 ± 0.02% C) cold work vs NaCl, 182

STRESS CRACKING

- 304 in 290 C NaCl solutions, infl of concentration, anodic polarization, 424
- 304L weldments vs 42% Mg chloride, 376 304, 310 behavior compared to NiCr, 339 60/40 CuNi vs 260 C ammonia, 197
- Alloy 600 vs 316 C aerated and deaerated water, NaOH, nitric acid, sulfuric acid-ferric sulfate, 441
- AlZnMg intergranular, infl heat treat, 23
- AlZnMg, solute depletion infl vs, 347
- AlZnMg ternary, quaternary alloys, infl of minor alloying elements vs, 209
- anodic reaction in 18-8 cracks vs 148 C Mg chloride under dynamic stress, 398
- austenitic stainless steels, hydrogen evolution, 108
- brittle fatigue striations in high strength Al, mild steel, Ti-2.5 Cu, infl cyclic rate, 66
- CrNiFe, Ni-base alloys vs 2.5 pH, 289 C sulfuric acid, 421
- Cu, brass, bronze, CuNi in industrial and marine atmos. 8 yr., 279
- crack tip plastic zone analysis using selected area electron scanning, 135
- hydrogen embrittlement model, 42
- intergranular, Ni-base alloys vs boiling nitric acid/chromate sol., infl C, P, Si on, 222
- surface layer stress factors influencing, 383,
- Ti-7Al-2Nb-1Ta vs acidified NaCl; Pd as alloy vs, 223
- Ti-8Al-1Mo-1V vs molten LiCl-KCl, 370 topography of Mg-7.5Al vs NaCl-K
- chromate, 247
- transgranular, 304 vs > 200 C Mg chloride, infl K nitrate, 431
- U-0.75 w/o Ti, infl of U hydride wedging in cracks, 337
- U-7.5Nb-2.5Zr, heat treatment infl on, 5
- welded 42-60 API steels, other C steels vs anhydrous ammonia, 255
- Stress fracture, cyclic factors infl, formation brittle fatigue striations, 66
- Stresses, internal; caused by hydrogen, in cathodically polarized Fe, 105
- Stresses, internal; wedge effect of U hydride during cracking of U-Ti, 337
- Stresses, magnitude infl on SCC of Ti-8Al-1Mo-1V vs molten LiCl-KCl, 370

STRESSES, TENSILE

- vs CrNiFe and Ni-base alloys in 2.5 pH, 289 C sulfuric acid, 421
- CuNi alloys, embrittlement by Hg under, 91 cracking phenomena of 18-8 in 143 C Mg chloride related to, 398
- dynamic mode, 304 vs HCl, film rupture infl on SCC, 352
- vs Inconel 600 in high temp., high purity water, 327
- Mg-7.5 Al bending in NaCl-potassium chromate solutions, crack topography, 247
- vs normalized welds on C steel vs anhydrous ammonia, 255
- Sulfides in cooling water vs Cu alloys, 269 Sulfate concentration; temperature anomaly of 409 steels, 298
- Sulfates vs CrNi steel, pitting prediction using current density contour maps, 286
- Sulfur-containing grinding fluids, infl in hydrogen absorption by 4340 steel, 72

SURFACE, INTERFACE PHENOMENA

- acetylenic inhibitors in Fe surface barriers, 130
- ferrite-austenite in 304L weld zone vs boiling Mg chloride sol., 376
- molten salt diffusion into Ni and Co-base alloys, 434
- surface layer strength, infl on SCC, 383, 391
- Surface preparation, acetylenic inhibitors in pickling acids, 130
- Surface preparation, carbon steel, infl vs attack by carbonic acid, 177
- Swaging of seamless high strength steel tanks for hydrogen, 3000-14,000 psi, 404

T

Tanks, metal; steels, high strength vs 3000-14,000 psi hydrogen, 404

TEMPERATURES, HIGH

- 20-120 C phosphoric acid + or halides vs austenitic stainless, 315
- 25-60 C aerated sea water vs pure Cu and Zn, infl of corrosion products, 275
- 30-200 C sea water, aerated and deaerated vs Cu alloy, Ti and C steel, 320
- 82 C sulfate vs 409 steel, temperature: solution concentration anomaly, 298
- 143 C Mg chloride vs 18-8, cracking under dynamic tensile stress, 398
- 260 C ammonia vs stressed 60/40 CuNi, 197 280 C water vs Zr-2.5 w/Nb, infl of radiation, 15
- 289 C, 2.5 pH sulfuric acid vs stressed
- CrNiFe, Ni-base alloys, 421 290 C water + NaCl vs stressed 304 steel,
- 424 500-900 C Na sulfate + oxygen vs Ni, infl Cr, Mo and W, 159
- 593-1038 C, heat treatment of 304, infl on carbide precip, 140
- 800-975 C air vs Ni-1.6 w/o alumina electroplate, 252
- 900 C anhydrous sodium metaphosphate vs Pt, Zr, 358

- 900 C Na sulfate vs Ni and Co-base alloys, 434
- 1230 C isotactic pressing of CrMoNiCo castings vs pitting, crevice attack, 111 molten salts vs Ti-8Al-1Mo-1V, SCC tests,

TESTING, ACCELERATED

- galvanostatic polarization of pressurized aerosal cans, 192
- salt spray of Cd plated, high strength steel, 214
- stress corrosion cracking of 304, 310 compared to CrN₁, results of various methods, 339
- Testing, data recording: potential-pH diagrams, 70-30 and 90-10 CuNi vs aerated sea water, 25 C, 77

TESTING, INSTRUMENTATION

- chemical, U-7.5 Nb-2.5 Zr SCC, 5
- crevice free specimen mounting technique for stainless steel pitting tests, 286
- electrode holders for autoclave electrochemical, 262
- electron microscopy of fracture surfaces, Mg-7.5 Al, 247
- potentiodynamic of Sb in acid, alkali vs oxygen, 364

TESTING, LABORATORY

- anodic dissolution, hydrogen evolution, photopotential behavior InSb single crystals in NaOH, 243
- austenitic stainless, sensitized, natural and electrochemical control, 51
- current density contour mapping of pits, crevice corrosion sites, 286
- direct measurement of linear polarization using dual electrodes, 164, 416
- fractographic analysis of Mg-7.5Al stress corrosion cracking, 247
- liquid immersion, polarization data using dual electrodes, direct measurement technique, 164, 416
- metallographic eval. brittle fatigue striations, 66
- molten Na vs SS in non-isothermal loop; sodium chromite vs oxygen attack, 168
- nuclear magnetic resonance of polyfunctional metal chelating compounds, 123, 128
- pitting potentials, comparison of slow potential scan, fast scan, scratch techniques, 219
- Pt counter-electrode corrosion in boiling NaCl, infl on Ti test results, 149
- polarization of 304 dynamically stressed in HCl. 352
- polarization Fe vs 2.5 pH water, infl Fe, Cu, Mg, Ca, K, S, Cl ions, 202
- polarization measurements to derive corrosion currents, 173
- potentiodynamic vs 430 steel in sulfuric acid, infl of electrolyte ionization, 413
- potentiokinetic polarization of Ni and Co-base alloys in 906 C sodium sulfate, 434
- selected area electron scanning of crack tip plastic zone size, 135
- 304L, 310 vs suifuric acid + sodium arsenite + hydrogen stress cracking, 108

- Time, 4130 steel:Al couples in distilled water, infl on reactions, 298
- Time, Al reactions vs solutions, infl, 84
- Time, austenitic stainless crevice attack in acid sol., infl, 51

TITANIUM

- + 2.5 Cu, brittle fatigue striations, 66
- + 7Al-2Nb-1Ta vs acidified NaCl, Pd as alloy vs SCC, 223
- vs NaCl, infl Pt electrode dissolution on test results, 149
- Ru as alloy vs boiling sol. HCl, sulfuric acid,
- 60 surface layer stress infl on SCC, 383, 391
- Ti-6Al-4V vs 30-200 C aerated, deaerated sea water, 320

TRADE NAMES, ACRONYMS,

SYNONYMS

AL 326, 421

2RN65, Sandvik, 287

E-Brite 26Cr-1Mo, 421

E-Brite 26-1, 219

FSX 430, 414 C, 434

Hastelloy X, 434

HERF 304, 421

ICL 473 BC, 421

IN-100, 713, 738, 792; 434

Inconel 600, 690; 421

Mulberry, 5

Nitronic 40, 50; 421

Sandvik 3RE60, 421

TRIP Steels, 182

Uranus 50, 421

Uranium + 7.5Nb-2.5Zr, infl heat treatment on SCC, 5

- Uranium + 0.75 w/o Ti, infl of U hydride wedging in cracking, 337
- Vacuum vs air, brittle fatigue striations in,
- Velocity vs iron pipeline carrying abrasive slurry, 237

WATER

- acid vs Cu, benzo, naphtho and triazoles as inhibitors, 97
- acid mine vs C steel, infl metal and halide ions, 203
- acid vs austenitic stainless steels, infl. potential, chromium content, 51
- acid mine, cathodic protection of C steel in,
- acid, potentiodynamic tests on antimony in, 364
- aerated and deaerated, 316 C vs Alloy 600, SCC tests, 441
- alkaline, potentiodynamic tests on antimony in, 364
- high purity, 280 C vs Zr-2.5 w/o Nb, infl of radiation, aging, 15
- high purity vs 4340-Al 1100, 2024, 2219, 6061, 7075 galvanic couples in, 298
- high purity vs Inconel 600 vs, infl heat treatment, stress, hydrogen, 327
- polluted vs Cu alloys, 269 potable or fresh vs 4340-Al 1100, 2024, 2219, 6061, 7075 galvanic couples in,
- 298 Ti-8Al-1Mo-1V vs molten LiCl-KCl stress cracking, 370
- salt, 290 C vs 304, role of NaCl in SCC, 424

- salt vs 4340-Al 1100, 2024, 2219, 6061, 7075 galvanic couples in, 298
- salt vs AlZnMg, infl of precipitate-free zone on SCC, 347
- + sand, iron ore, limestone, coal, potash in slurry pipeline, infl vs Fe, 237
- sea, 25-60 C vs pure Cu and Zn, properties of oxide salts deposited, temperature infl, 275
- sea, 30-200 C aerated and deaerated vs Cu alloys, Ti and C steel, 320
- sea, aerated, potential-pH diagrams CuNi, 25
- sea vs Cu, benzo, naphtho and triazoles to protect, 97
- sea vs TRIP steels, 182

WELDING

- 304L, 42% boiling Mg chloride tests, SCC and attack modes, 376
- carbon steel line pipe normalized, vs anhydrous ammonia, stress cracking tests, 255
- Ni and stainless steels, weldment attack mechanisms, 101
- TiRu, infl vs hydrogen absorp. vs boiling HCl or sulfuric acids, 60

Z

- Zinc and alloys, Al content in eutectoid vs steam-water, infl on attack rate, retained strength, 146
- Zinc, high purity vs aerated sea water, 25-60 C, 275
- Zirconium vs 900 C anhydrous Na metaphosphate, 358

Alphabetical Author Index Corrosion, Vol. 31, 1975

A

Adams, A. A.

Scrape Potential Measurements on Aluminum Alloys, Mar (84)

Agrawal, A. K.

Technical Note: A Trouble-Free Electrode Holder for Use in Autoclave Electrochemical Tests, Jul (262)

Alexander, B. J.

Technical Note: Anion Dependence of the Activation Energy for Iron Corrosion, Apr (148)

Alexander, B. J.

Technical Note: A Sensitive Method for Monitoring Iron Corrosion in O₂ Free Solutions, Nov (417)

Alon, A

Influence of Halides in Phosphoric Acid on the Corrosion Behavior of Stainless Steels, Sep (315)

Altura, D.

Effect of Plating Conditions on Performance of Porous Cadmium Deposit, Jun (214)

Altura, D.

Effect of Plating Current Density on Properties of Titanium-Cadmium Deposit. Jul (234)

Angelo, P. C. See Natarajan, R.

, 14.

Baghdasarian, A.

Corrosion Resistance of Trip Steels, May (182)

Barnartt, S

Linear Corrosion Kinetics at Dual Electrodes, May (164)

Bates, J. F.

Corrosion of Condenser Tube Alloys in Sulfide Contaminated Brine, Aug (269)

Beccaria, A. M. See Mor, E.

Behrens, D.

Corrosion and Protection in the German Federal Republic, May (185)

Bernstein, I. M.

Mutual Occurrence of Cathodic and Anodic Cracking in Iron, Mar (105)

Biefer, G. J.

Technical Note: Effect of Palladium Alloying Additions on the Environmental Cracking Resistance of Titanium-7Al-2Nb-1Ta Alloy, Jun (223)

Blackburn, M. J. See Smyrl, W. H.

Bond, A. P.

See Lizlovs, E. A.

Bond, A. P.

See Demo, J. J.

Boogers, J. A. M.

See Van Leeuwen, H. P.

Brautigam, F. C.

Selective Corrosion of Weld Metal in High Nickel Alloys and Stainless Steels, Mar (101) Broecker, D. E.

See Vermilyea, D. A.

Brown, B. F.

Marcel Pourbaix: A Master Corrosionist is 70, Sep (307)

Burke, J.

See Mehta, M. L.

0

Carroll, M. J.

Structure—Corrosion Inhibition Studies of Polyfunctional Metal Chelating Compounds, Apr (123)

Casey, E. J.

Stability of Some Metals in Molten Sodium Metaphosphate, Oct (358)

Chakrapani, D. G.

On the Fractography of Transgranular Stress Corrosion Failures in a Mg-Al Alloy, Jul (247)

Chance, D. A.

See Patterson, R. E.

Chance, R. L.

Anomalous Effects of Temperature on the Polarization Characteristics of Type 409 Stainless Steel, Aug (296)

Costas, L. P.

Effect of Phosphorus on the Embrittlement of Copper-Nickel Alloys by Mercury, Mar (91)

D

Damin, D. C.

See Agrawal, A. K.

Das, K. B.

Influence of Grinding Fluids on the Introduction of Hydrogen in High Strength Steel, Feb (72)

Davidson, D. L.

Plastic Zone Size Associated with a Stress Corrosion Crack as Determined by Selected Area Electron Channeling, Apr (135)

Demo, J. J.

Intergranular Corrosion and Embrittlement of Ferritic Stainless Steels, Jan (21)

Devereux, O. F.

See Murty, Y. V. V. R. S.

de Waard, C.

Carbonic Acid Corrosion of Steel, May (177)

de Wexler, S. B.

See Galvele, J. R.

Doig, P.

Influence of Precipitate Free Zones on the Stress Corrosion Susceptibility of a Ternary Al-5.9 Wt% Zn-3.2 Wt% Mg Alloy, Oct (347)

Dubois, A. R.

See Casey, E. J.

Duquette, D. J.

See Sherman, D. H.

F

Edington, J. W.

See Doig, P. Edington, J. W.

See Melton, K. N.

Efird, K. D.

Potential-pH Diagrams for 90-10 and 70-30 Cu-Ni in Sea Water, Mar (77)

F

Foley, R. T. See Adams, A. A.

Foley, R. T.

See Alexander, B. J.

France, Jr., W. D.

See Chance, R. L.

Franz, F.

See Novak, P.

G

Galvele, J. R.

Film Rupture Mechanism for Stress Corrosion Cracking of AISI 304 in HCl Solutions, Oct (352)

Gardiazabal, I.

See Galvele, J. R.

Gearing, T. V.

See Popplewell, J. M.

George, N. T. See Natarajan, R.

Gorman, R. W.

See Casey, E. J.

Green, J. A. S.
Observations on the Stress Corrosion
Cracking of an Al-5%Zn-2.5%Mg
Ternary and Various Quaternary Alloys,
Jun (209)

H

Hackerman, N.

Homopiperazine as a Corrosion Inhibitor, Jul (240)

Hashimoto, K.

A Study on Stress Corrosion Cracking of Austenitic Stainless Steel in Boiling Magnesium Chloride, Nov (398)

Hawrylak, M. W.

See Postlethwaite, J.

Heldt, L. A.

See Pinchback, T. R.

Hodge, F. G.

Technical Note: Effects of Processing on Performance of Cast Prosthesis Alloys, Mar (111)

Hoey, G. R.

See Subrahmanyam, D. V.

I

Indig, M. E.

Corrosion of Sensitized Austenitic Stainless Steel in Hot Aqueous Solutions Under Natural and Electrochemical Control, Feb (51) Janik-Czachor, M.

Effect of Nitrogen Content in a 18Cr-5Ni-10Mn Stainless Steel on the pitting Susceptibility in Chloride Solutions, Nov (394)

Johnson, Jr., A. B. See Urbanic, V. F.

Jones, R. L.

Potential and Chloride Effects in the Stress Corrosion Cracking of Type 304 Stainless Steel in 290 C Water, Dec (424)

Jones, R. L.

Nitrate Effects Promoting the Stress Corrosion Cracking of AISI Type .304 Stainless Steel in MgCl₂ Above 200 C, Dec (431)

Justice, D. D. See Hackerman, N.

Kattamis, T. Z. See Murty, Y. V. V. R. S.

Kenkel, J. V See Mansfeld, F.

Kim. C. D.

Stress Corrosion Cracking of Line-Pipe Steels in Anhydrous Ammonia, Jul (255)

Kramer, I.

Correlation of the Surface Layer Stress Coefficient and Stress Corrosion Cracking-Part 1, Nov (383)

Correlation of the Surface Layer Stress Coefficient and Stress Corrosion Cracking-Part 2, Nov (391)

Laliberte, L. H.

Current Density Contour Maps: Experimental Determination and Analysis, Aug (286)

Lee, III, T. S. See Hodge, F. G.

Legault, R. A.

Kinetics of the Atmospheric Corrosion of Low-Alloys Steels in an Industrial Environment, Apr (117)

LeRoy, R. L. Evaluation of Corrosion Rates from Polarization Measurements, May (173)

LeSurf I E See Urbanic, V. F.

Lizlovs, E. A.

An Evaluation of Some Electrochemical Techniques for the Determination of Pitting Potentials of Stainless Steel, Jun (219)

Loginow, A. Steels for Seamless Hydrogen Pressure

Vessels, Nov (404)

Lunarska, E. Susceptibility of Cr-Ni-Mn Stainless Steels to Pitting in Chloride Solutions, Jul (231)

Lunarska, E. See Janik-Czachor, M.

Lyle, F. F. See Davidson, D. L. Magnani, N. J.

Technical Note: The Wedging Action of UH₃ During Slow Crack Growth in U-0.75 Wt% Ti, Sep (337)

Mansfeld, F. B.

Technical Note: Contamination of Test Electrolytes by Dissolution Products of Platinum Counter Electrodes, Apr (149)

Mansfeld, F. B. Laboratory Studies of Galvanic Corrosion I. Two-Metal Couples, Aug (298)

Mansfeld, F. B. See Altura, D.

Mansfeld, F. B.

Linear Corrosion Kinetics at Dual Electrodes, Nov (416)

McCafferty, E.

See Hackerman, N.

McCright, R. D. See Agrawal, A. K.

McIlree, A. R.

Effects of Variations of Carbon, Sulfur, and Phosphorus on the Corrosion Behavior of Alloy 600, Dec (441)

Mehta, M. L.

Role of Hydrogen in Stress Corrosion Cracking of Austenitic Stainless Steels, Mar (108)

Melton, K. N.

Technical Note: Effect of Increasing Aluminum Content on the Boiling Water Corrosion Resistance of Superplastic Zn-Al Alloys, Apr (146)

Michels, H. T. See McIlree, A. R.

Milliams, D. E. See de Waard, C.

Montague, W. G. See Green, J. A. S.

Mor. E.

Effect of Temperature on the Corrodibility of Copper and Zinc in Synthetic Sea Water, Aug (275)

Morris, P. E.

See McIlree, A. R.

Mueller, W. A. See Laliberte, L. H.

Murty, Y. V. V. R. S.

Technical Note: Polarization of Homogeneous Aluminum-Copper Alloys in Aqueous Sulfuric Acid, Jun (207)

Natarajan, R. Dezincification of Cartridge Brass, Aug (302)

Nobe, K. See Patterson, R. E.

Nobe, K.

See Wikstrom, L. L. Noggle, J. H.

See Carroll, M. J. Novak, P.

> Testing the Susceptibility of Stainless Steel to Intergranular Corrosion by a Reactivation Method, Oct (344)

Nwoko, V. O.

Oxidation of Electrodeposited Nickel-1.6 Wt% Alumina, Jul (252)

Parrish, P. A.

See Das. K. B.

Patterson, R. E.

Polarization and Photopotentials of InSb in NaOH, Jul (243)

Payer, J. H.

The Dissolution Behavior of Cr23C6 and TiC Related to the Stainless Steels in Which They Occur, Jan (30)

Phelps, E. H.

See Kim, C. D.

Phelps, E. H.

See Loginow, A. W.

Pickering, H. W. See Bernstein, I. M.

Pinchback, T. R.

Stress Corrosion Cracking of 60/40 Cupro-Nickel Alloy: Fractography and Chemical Analysis, Jun (197)

Popplewell, J. M.

Stress Corrosion Resistance of Some Copper Base Alloys in Natural Atmospheres, Aug (279)

Popplewell, J. M. See Bates, J. F.

Postlethwaite, J. Effect of Slurry Abrasion on the Anodic Dissolution of Iron in Water, Jul (237)

Preban, A. G.

See Legault, R. A. Pugh, E. N

See Chakrapani, D. G.

Ravitz, S. F. See Baghdasarian, A.

Reising, R. F.

Effects of Chromium, Molybdenum, and Tungsten on Sodium Sulfate-Induced High Temperature Corrosion of Nickel, May (159)

Riggs, Jr., O. L.

Discussion: Structure-Corrosion Inhibition Studies of Polyfunctional Metal Chelating Compounds, Apr (128)

Riggs, Jr., O. L.

The Second Anodic Current Maximum for Type 430 Stainless Steel in 0.1N H₂SO₄, Nov (413)

Savage, W. F. SeeSherman, D. H.

Schorr, M. See Alon, A.

Schreiber, T. P. See Chance, R. L.

Sedriks, A. J.

Corrosion Resistance of Titanium-Ruthenium Alloys, Feb (60)

Sedriks, A. J.

Technical Note: Comparative Stress Corrosion Cracking Behavior of Austenitic Iron-Base and Nickel-Base Alloys, Sep (339)

Sheppard, E.

See Su. L. S.

Sherman, D. H.

Stress Corrosion Cracking Behavior of Duplex Stainless Steel Weldments in Boiling MgCl₂, Oct (376)

Shores, D. A.

Use of Anodic Polarization in Fused Na₂SO₄ for Estimating Hot Corrosion Rates, Dec (434)

Shreir, L. L.

See Nwoko, V. O.

Smith, C. A.

Potentials of Selected Metal Alloys in Sea Water at Elevated Temperatures, Sep (320)

Smyrl, W. H.

Stress Corrosion Cracking of Ti-8Al-1Mo-1V in Molten Salts, Oct (370)

Staehle, R. W.

See Agrawal, A. K.

Staehle, R. W. See Payer, J. H.

Stefec, R.

See Novak, P.

Stentler, C. J.

See Van Leeuwen, H. P.

Su, L. S.

Corrosivity of Pressurized Liquids in Aerosol Cans, Jun (192)

Subrahmanyam, D. V.

Influence of Water Quality on the Corrosion and Electrochemical Behavior of Mild Steel in Synthetic Acid Mine Waters, Jun (202)

Szklarska-Smialowska, Z. See Lunarska, E.

Szklarska-Smiałowska, Z.

See Janik-Czachor, M.

T

Tamhankar, R. V. See Natarajan, R. Tedeschi, R. J.

Acetylenic Corrosion Inhibitors, Apr (130)

Tedmon, Jr., C. S.

See Vermilyea, D. A.

Travis, K. E. See Carroll, M. J.

U

Urbanic, V. F.

Effect of Aging and Irradiation on The Corrosion of Zr-2.5 Wt% Nb, Jan (15)

V

Van Leeuwen, H. P.

The Contribution of Corrosion to the Stress Corrosion Cracking of Al-Zn-Mg Alloys, Jan (23)

Van Leeuwen, H. P.

Plateau Velocity of SCC in High Strength Steel-A Quantitative Treatment, Feb (42)

Van Leeuwen, H. P.

Embrittlement by Internal and by External Hydrogen, May (154)

van Rooven, D.

Review of the Stress Corrosion Cracking of Inconel 600, Sep (327)

Vermilyea, D. A.

Some Effects of Heat Treatment Variables on the Sensitization of Type 304 Stainless Steel, Apr (140)

Vermilvea, D. A.

Susceptibility of Iron and Nickel-Base Alloys to SCC in pH 2.5 H₂SO₄ at 289 C, Dec (419) Vermilyea, D. A.

Technical Note: Effect of Phosphorus and Silicon on the Intergranular Corrosion of a Nickel-Base Alloy, Jun (222)

Vermilyea, D. A. See Indig, M. E.

W

Walker, R.

Triazole, Benzotriazole and Naphthotriazole as Corrosion Inhibitors for Copper, Mar (97)

Wanhill, R. J. H.

Formation of Brittle Fatigue Striations, Feb (66)

Wanhill, R. J. H.

Technical Note: Stress Corrosion Fracture Along Slip Bands in Ti-8Al Tested in Methanol/HCl and a Rationale for the Overall Fracture Process, Apr (143)

Weirick, L. J.

Effect of Heat Treatment Upon the Stress Corrosion Cracking of Mulberry (U-7.5 Nb-2.5 Zr), Jan (5)

Wikstrom, L. L.

Potentiodynamic Studies of Antimony in Acidic and Alkaline Solutions, Oct (364)

Wilde, B. E.

See Kim, C. D.

Wilkinson, G. A.

See Pinchback, T. R.

Wu, P. C. S.

Effect of Sodium Chromite on Oxygen in Sodium Analysis in a Stainless Steel System, May (168)

Y

Yahalom, J.

See Alon, A.